

Coastal Bruiser

Multi-Purpose Vessel

JULY 3 2024



MAIN SPECIFICATIONS

General

Type of vessel:	Special Service / Multi-Purpose ship – Multi Cat 2409
Classification:	BV I✕ Hull● mach● Tug Unrestricted
Callsign :	PDYJ
MMSI:	245972000
Flag:	Dutch
Tonnage (UMS/GT):	154

Dimensions

Length O.A.:	21.25 m
Beam O.A.:	9 m
Draught aft:	2.40 m
Deck loading:	6 t/m ²
Clear deck area :	120 m ²

Tank Capacities

Fuel oil:	44.10 m ³
Fresh water:	35.10 m ³
Black/grey water:	4.40 m ³
Dirty oil :	2.20 m ³

Accommodation

POB:	6
Cabins:	2 single 2 double

JIFMAR GROUP

→ Contact: sales@jifmar.net



This document is for guidance and information only. Information provided is given under good faith and is non-contractual. This document may be updated without advanced notice. It may not be published, redistributed or reproduced without the prior written consent of ©Jifmar Group.



DETAILED SPECIFICATIONS

Propulsion System

Main engines:	2 x Caterpillar 3412D 632 kW each
---------------	-----------------------------------

Auxiliary Systems

Generator sets:	Caterpillar C4.4 DITA 93.6 kW, Caterpillar C9 DI
-----------------	---

Navigation & Communication

GMDSS:	2 x Tron TR 20
Satellite Communication:	Intellian V80

Dynamic Positioning

DP system:	Navis NAVDP 4000
------------	------------------

Deck Lay-out

Crane FWD:	139 tm, 8.1 t @ 14 m
Anchor handling drum:	Ridderinkhof THH 30 t
Tugger/Mooring winches:	8 t - 4.5 m/min
Bow roller:	Yes
Capstan:	Yes
FIFI system:	Co2



GENERAL ARRANGEMENT

