

JIF Lacydon

DP Survey Vessel

AUGUST 12 2024



MAIN SPECIFICATIONS

General

Type of vessel:	Fast Utility Vessel
Classification:	BV 1 HULL • MACH Light ship / Fast Utility Vessel sea area 3
IMO:	9698678
Callsign:	FFMG
MMSI:	228390900
Flag:	French
Tonnage (UMS):	167

Tank Capacities

Fuel oil:	18 m ³
Fresh water:	1.80 m ³
Black/grey water:	500 l
Dirty oil:	340 l

Dimensions

Length O.A.:	25.75 m
Beam O.A.:	10.40 m
Draught aft:	2.20 m
Max deadweight tonnage:	20 t
Clear deck area:	75 m ²
Deck loading:	1 t/m ²

Dynamic Positioning

DP System:	SIRENHA
DP class:	DP1

JIFMAR GROUP

→ Contact: sales@jifmar.net



This document is for guidance and information only. Information provided is given under good faith and is non-contractual. This document may be updated without advanced notice. It may not be published, redistributed or reproduced without the prior written consent of ©Jifmar Group.



DETAILED SPECIFICATIONS

Propulsion System

Bow thruster:	2 x HYDROSTA sider 60 Hp 16 kW
Main engine:	2 x CATERPILLAR C32 TTA
Power output:	2 x 895 kW

Auxiliary Systems

Generator sets:	2 x CATERPILLAR C2.2 2 x 30 kVA
-----------------	------------------------------------

Accommodation

POB:	14 (<12hrs) ; 7
Cabins:	1 single 4 double

Deck Lay-out

Crane FWD:	HEILA HLMR 20-3S 1.49 t @ 2m 1.49 t winch
Capstan:	3 t 10m / mn

Navigation & Communication

GMDSS:	A1 + A2
Satellite communication:	VSAT THALOS

ADDITIONAL PICTURES





GENERAL ARRANGEMENT

