

# Coastal Bruiser

Multi-Purpose Vessel

OCT 23 2024



## MAIN SPECIFICATIONS

### General

Type of vessel:	Special Service / Multi-Purpose ship – Multi Cat 2409
Classification:	BV I✕ Hull● mach● Tug Unrestricted
Callsign :	PDYJ
MMSI:	245972000
Flag:	Dutch
Tonnage (UMS/GT):	154

### Dimensions

Length O.A.:	23.33 m
Beam O.A.:	9 m
Draught aft:	2.40 m
Deck loading:	6 t/m <sup>2</sup>
Clear deck area :	120 m <sup>2</sup>

### Tank Capacities

Fuel oil:	44.10 m <sup>3</sup>
Fresh water:	35.10 m <sup>3</sup>
Black/grey water:	4.40 m <sup>3</sup>
Dirty oil :	2.20 m <sup>3</sup>

### Accommodation

POB:	6
Cabins:	2 single 2 double

JIFMAR GROUP

→ Contact: sales@jifmar.net



This document is for guidance and information only. Information provided is given under good faith and is non-contractual. This document may be updated without advanced notice. It may not be published, redistributed or reproduced without the prior written consent of ©Jifmar Group.



## DETAILED SPECIFICATIONS

### Propulsion System

Main engines:	2 x Caterpillar 3412D 632 kW each
---------------	-----------------------------------

### Auxiliary Systems

Generator sets:	Caterpillar C4.4 DITA 93.6 kW, Caterpillar C9 DI
-----------------	--

### Navigation & Communication

GMDSS:	2 x Tron TR 20
Satellite Communication:	Intellian V80

### Dynamic Positioning

DP system:	Navis NAVDP 4000
------------	------------------

### Deck Lay-out

Crane FWD:	139 tm, 8.1 t @ 14 m
Anchor handling drum:	Ridderinkhof THH 30 t
Tugger/Mooring winches:	8 t - 4.5 m/min
Bow roller:	Yes
Capstan:	Yes
FIFI system:	Co2



## GENERAL ARRANGEMENT

