

# Jif Beluga

Shoalbuster 2609

MAY 7 2026



## MAIN SPECIFICATIONS

### General

Type of vessel:	Multi-Purpose Tug
Classification:	BV $\boxtimes$ HULL • MACH / Unrestricted Navigation / AUT- UMS 5SS – ice Class 1D
IMO:	9528216
Callsign:	PCBJ
MMSI:	246710000
Flag:	Dutch
Tonnage (UMS):	230

### Performances

Bollard Pull ahead:	27.20 t
---------------------	---------

### Tank Capacities

Fuel oil:	68 m <sup>3</sup>
Fresh water:	37.20 m <sup>3</sup>
Black/grey water:	2.60 m <sup>3</sup>
Dirty oil:	3.50 m <sup>3</sup>

### Dimensions

Length O.A.:	25.80 m
Beam O.A.:	10 m
Draught aft (range):	2.50 – 2.72 m
Clear Deck Area:	52 m <sup>2</sup>
Deck loading:	5 t/m <sup>2</sup>

JIFMAR GROUP

→ Contact: sales@jifmar.net



This document is for guidance and information only. Information provided is given under good faith and is non-contractual. This document may be updated without advanced notice. It may not be published, redistributed or reproduced without the prior written consent of ©Jifmar Group.



## DETAILED SPECIFICATIONS

### Propulsion System

Bow thruster:	150 kW
Stern thruster:	No
Main engines:	2 x CATERPILLAR 3508 C
Power output:	1492 kW

### Auxiliary Systems

Generator sets:	2 x CATERPILLAR C4.4 1 x CATERPILLAR C9
-----------------	--

### Accommodation


POB:	6
Cabins:	2 x single 2 x double

### Deck Lay-out

Crane AFT:	Heila HLRM 140-3S
Anchor handling winch:	60t/70t (pull/hold)
Towing winch:	60t/70t (pull/hold)
Stern roller:	SWL 100 t
Towing pins:	50 t



## GENERAL ARRANGEMENTS



JIFMAR GROUP

→ Contact: [sales@jifmar.net](mailto:sales@jifmar.net)

**JIFMAR**

This document is for guidance and information only. Information provided is given under good faith and is non-contractual. This document may be updated without advanced notice. It may not be published, redistributed or reproduced without the prior written consent of ©Jifmar Group.