

# Jif Eidum

Multi-Purpose Vessel

May 10 2026



## MAIN SPECIFICATIONS

### General

Type of vessel:	Multi-Purpose Vessel EuroCarrier 2611
Classification:	1 X HULL • MACH / Unrestricted Navigation / AUT-UMS
IMO:	9969314
Callsign:	PFVV
MMSI:	246982000
Flag:	Dutch
Tonnage (UMS):	255

### Performances

Bollard Pull ahead:	33.90 t
---------------------	---------

### Tank Capacities

Fuel oil:	110 m <sup>3</sup>
Fresh water:	39 m <sup>3</sup>
Black/grey water:	7 m <sup>3</sup>
Dirty oil:	1.60 m <sup>3</sup>

### Dimensions

Length O.A.:	26.48 m
Beam O.A.:	11 m
Draught aft (range):	2.50 – 3.25 m
Clear Deck Area:	145 m <sup>2</sup>
Deck loading:	6 t/m <sup>2</sup>

JIFMAR GROUP

→ Contact: [sales@jifmar.net](mailto:sales@jifmar.net)



This document is for guidance and information only. Information provided is given under good faith and is non-contractual. This document may be updated without advanced notice. It may not be published, redistributed or reproduced without the prior written consent of ©Jifmar Group.



## DETAILED SPECIFICATIONS

### Propulsion System

Bow thrusters:	2 x 250 kW
Stern thruster:	No
Main engines:	2 x CATERPILLAR C32 Tier III
Power output:	2 x 970 kW

### Auxiliary Systems

Generator sets:	2 VOLVO D8 MG Tier III 2 x 278 kVA
Harbour set:	CATERPILLAR C4.4

### Accommodation

POB:	6
Cabins:	6 x single

### Deck Lay-out

Crane FWD:	Heila HLRM 230-4SLK
Crane AFT:	Heila HLRM 140-3S
Anchor handling winch:	100 t/150 t (pull/hold)
Towing winch:	50 t/60 t (pull/hold)
Tugger winches:	15 t/22.5 t (pull /hold)
Stern roller:	5 m x 838 mm
Bow roller:	6 m x 1207 mm
Towing pins:	50 t
Chain/wire stopper:	95 t



GENERAL ARRANGEMENTS

