


# Jif Bison

Multipurpose AHT

JUL 13 2026



## MAIN SPECIFICATIONS

### General

|                 |                                                                               |
|-----------------|-------------------------------------------------------------------------------|
| Type of vessel: | Multi-Purpose Tug                                                             |
| Classification: | BV  HULL • MACH /<br>Unrestricted Navigation / AUT-<br>UMS 5SS – ice Class 1D |
| IMO:            | 9345518                                                                       |
| Callsign:       | PHFX                                                                          |
| MMSI:           | 246528000                                                                     |
| Flag:           | Dutch                                                                         |
| Tonnage (UMS):  | 230                                                                           |

### Performances

|                     |         |
|---------------------|---------|
| Bollard pull ahead: | 27.60 t |
| Bollard pull:       | 27.60 t |

### Tank Capacities

|                   |                      |
|-------------------|----------------------|
| Fuel oil:         | 68 m <sup>3</sup>    |
| Fresh water:      | 37.20 m <sup>3</sup> |
| Black/grey water: | 2.60 m <sup>3</sup>  |
| Dirty oil:        | 3.50 m <sup>3</sup>  |

### Dimensions

|                      |                    |
|----------------------|--------------------|
| Length O.A.:         | 25.80 m            |
| Beam O.A.:           | 10 m               |
| Draught aft (range): | 2.50 – 2.72 m      |
| Clear deck Area:     | 52 m <sup>2</sup>  |
| Deck loading:        | 5 t/m <sup>2</sup> |

JIFMAR GROUP

→ Contact: [sales@jifmar.net](mailto:sales@jifmar.net)



This document is for guidance and information only. Information provided is given under good faith and is non-contractual. This document may be updated without advanced notice. It may not be published, redistributed or reproduced without the prior written consent of ©Jifmar Group.



## DETAILED SPECIFICATIONS

### Propulsion System

|                 |                        |
|-----------------|------------------------|
| Bow thruster:   | 150 kW                 |
| Stern thruster: | No                     |
| Main engines:   | 2 x CATERPILLAR 3508 C |
| Power output:   | 1493 kW                |

### Auxiliary Systems

|                 |                        |
|-----------------|------------------------|
| Generator sets: | 2 x CATERPILLAR 3056 T |
|-----------------|------------------------|

### Accommodation

|         |                          |
|---------|--------------------------|
| POB:    | 6                        |
| Cabins: | 2 x single<br>2 x double |

### Deck Lay-out

|                        |                     |
|------------------------|---------------------|
| Crane AFT:             | Heila HLRM 140-3S   |
| Anchor handling winch: | 50t/70t (pull/hold) |
| Towing winch:          | 50t/70t (pull/hold) |
| Stern roller:          | SWL 100 t           |
| Towing pins:           | 50 t                |



## GENERAL ARRANGEMENTS

